

9100 Series Levers on 65mm Stepped Round Rosettes

- Features an array of stylish levers on 65mm diameter stepped round rosettes.
- Choose from passage leverset or dummy lever options.
- For use with 1000, 3000 or 755 series mortice locks for exterior doors or with 480 or 960/980 series tubular latches for interior doors.

- Concealed fixing.
- Suits a 50mm or 54mm diameter hole; or one 35mm and two 10mm diameter holes through door face when used with a 480 or 960/980 series tubular latch.
- Can be used on fire doors.
- To suit 32mm-45mm thick doors.*



Brass Lever/Alloy Rose



Linear lever on stepped round rosette
9113 CP SC



Horizon lever on stepped round rosette
9148 CP SC



President lever on stepped round rosette
9150 CP SC



Senator lever on stepped round rosette
9165 CP SC

Alloy Lever/Alloy Rose



Dias lever on stepped round rosette**
9131L BG CP DB SC



Form lever on stepped round rosette
9132 BG CP DB SC



Zephyr lever on stepped round rosette**
9160L CP SC



Aero lever on stepped round rosette
9161 CP SC



Curvelle lever on stepped round rosette**
9162L CP SC



Outline lever on stepped round rosette
9189 BGS CPS DBS SCS



When ordering, add relevant finish code to form complete catalogue number, as shown under products illustrated.

For dummy lever versions, add 'D' to the number shown, followed by the relevant finish code.

* Denotes longer screws available (FAMT 124) to suit 50mm thick doors.

** Denotes to specify Left (L) or Right-Handed (R) when ordering.

Privacy Adaptor


- Economical and clever way to add privacy locking to the 9100 or 9300 series leversets.
- Innovative one piece design-installed to the inside of the door.
- Internal locking, panic release from the inside and emergency access from the outside.
- Suits 9100 and 9300 series, and at a future date will also suit the 9000 brass series.
- Will not suit the 9400 series brass or stainless steel, 9200 series, 9600 and 9900 series or 300 series door furniture.
- Concealed fixing.
- Requires a 50mm or 54mm diameter hole through door face.



Privacy adaptor with Dias leverset
9009 BG CP DB SC

Auxiliary Privacy Set

- Normally installed above passage leverset to add privacy locking to internal doors.
- Complements the 9000, 9100 and 9300 series round rosette.
- Incorporates privacy bolt, internal tumbbutton escutcheon and external emergency release escutcheon.
- Concealed fixing.
- Suits a 22mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- 60mm backset.



Privacy set
93PS BG CP DB PB SC



When ordering, add relevant finish code to form complete catalogue number, as shown under products illustrated.

480 and 960/980 Series Dual Sprung Tubular Latches

- Gainsborough tubular latches feature a heavy duty main spring for firm action and positive return during normal operation.
- Secondary latchbolt spring for easy door closure.
- Choose from delrin or steel hubs.
- 'D' or universal 'T' strikes available – refer specific catalogue number.
- Requires a 35mm diameter hole through door face and a 25mm diameter hole through door edge.



Rectangular face and strike
60mm backset
480 BC FB **PB** SC (481 70mm backset)



Rectangular face and universal strike
60mm backset
480T BC PB SC



Rectangular face and universal strike
features sintered steel cam
60mm backset, Heavy duty
980 CP PB* SC



Radius corner face and strike
60mm backset
488 BC PB

ES1000 Electric Strike



Applicable to Electric Strikes only;
not applicable to 480 and 960/980
Series Dual Sprung Tubular Latches.

- The ES1000 Electric Strikes are designed for use with deadlatching mortice locks having up to 12mm throw latchbolt.
- The ES1000 Electric Strikes are available in un-monitored and monitored 12 volt or 24 volt DC for use on aluminium or timber frames.
- Power to lock (fail safe) or power to open (fail secure), can be changed on site by simply changing position of a screw.



Electric strike
ES1000/12 SS
ES1000/12M SS (Monitored)
ES1000/24 SS
ES1000/24M SS (Monitored)

When ordering, add relevant finish code to form complete catalogue number, as shown under products illustrated.

* For this finish, order 960PB until stock depleted. On depletion, the 980PB will become available.