

**9600 Series** Levers on 55mm Round Rosettes



- Selection of fashionable and innovative lever styles on 55mm diameter round rosettes.
- Choose from passage leverset or dummy lever options.
- Non-handed to suit left or right-handed doors.  
Note: certain dummy levers are handed as shown.
- For use with 1000, 3000, 755 or 655 series mortice locks for exterior doors and with 480 or 960/980 series tubular latches for interior doors.
- Concealed fixing.
- Suits one 35mm and two 6mm diameter holes through door face when used with a 480 or 960/980 series tubular latch.  
Note: A 50mm diameter hole is required when used with a 9609 privacy adaptor.
- To suit 32mm-45mm thick doors.\*
- Can be used on fire doors.

**Brass Lever/Alloy Rose**



Linear lever on round rosette  
**9613 CP SC**



Horizon lever on round rosette  
**9648 CP SC**



President lever on round rosette  
**9650 CP SC**



Senator lever on round rosette  
**9665 CP SC**



Congress lever on round rosette  
**9668 CP SC**

**NEW**

**Alloy Lever/Alloy Rose**



Form lever on round rosette  
**9632 BG CP DB SC**



Inline lever on round rosette  
**9642 BG/SG CP/SC DB/SD SC/CP**



Ergo lever on round rosette  
**9643 BG CP CP/DB DB SC SC/CP**



Radius lever on round rosette  
**9644 BG CP DB SC**



Crescent lever on round rosette  
**9645 CP SC**

When ordering, add relevant finish code to form complete catalogue number, as shown under products illustrated.

For dummy lever versions, add 'D' to the number shown, followed by the relevant finish code.

\* Denotes longer screws available (FAMT 124) to suit 50mm thick doors.

\*\* Denotes for these dummy levers, specify Left (L) or Right-Handed (R) when ordering.

**Alloy Lever/Alloy Rose**



Arc lever on round rosette  
9646 CP SC



Zephyr lever on round rosette\*  
9660 CP SC



Aero lever on round rosette  
9661 CP SC



Curvelle lever on round rosette\*  
9662 CP SC

**Auxiliary Privacy Set**

- Normally installed above passage leverset to add privacy locking to internal doors.
- 55mm diameter rosettes to complement the 9600 series levers.
- Incorporates privacy bolt, internal turnbutton escutcheon and external emergency release escutcheon.
- Concealed fixing.
- Suits a 25mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- 60mm backset.

**Privacy Adaptor**

- Economical and clever way to add privacy locking to the 9600 series leversets.
- Innovative, one piece design-installed to the inside of the door.
- Internal locking, panic release from the inside and emergency access from the outside.
- Can only be used with 9600 series or 9400 stainless steel series leversets and will not suit the 9000, 9100, 9300 and 9400 (brass) series door furniture or 300 series door furniture.
- Concealed fixing.
- Requires a 50mm diameter hole through door face.



Privacy adaptor with Ergo leverset  
9609 BG CP DB SC



Auxiliary privacy set  
96PS BG CP DB SC

Specify 96PSI for privacy set with "Emergency" release indicator escutcheon. Red for engaged, green for released-can also be used as an indicator bolt.



Applicable to 9600 Series Leversets only, not applicable to Privacy Adaptor or Auxiliary Privacy Set.



When ordering, add relevant finish code to form complete catalogue number, as shown under products illustrated.

For dummy lever versions, add 'D' to the number shown, followed by the relevant finish code.

\* Denotes for these dummy levers, specify Left (L) or Right-Handed (R) when ordering.



Applicable to Key Escutcheons only; not applicable to Sliding Indicator Bolt Set or Sliding Bolt Set.

### Round Cylinder, Turnbutton and Emergency Release Escutcheons

- Range of round cylinder, turnbutton and emergency release escutcheons.
- Coordinates with the 9600 series levers when used in conjunction with mortice locks.
- Concealed fixing.
- 55mm diameter x 12mm thick.



Oval cylinder escutcheon\* to suit 1000 or 3000 series mortice locks

**10E4** BG CP DB SC



External oval cylinder escutcheon\* used with 10T4 or 10E4 Through fixing for  
– Double cylinder function  
– Single cylinder and turnbutton function

**10E4E** BG CP DB SC



Emergency release escutcheon

**10R4** BG CP DB SC



Euro profile cylinder escutcheon\* to suit 755 or 655 series mortice locks

**10EU4** BG CP DB SC



Emergency release indicator escutcheon. Red for engaged, green for released

**10R14** BG CP DB SC



Interior turnbutton escutcheon

**10T4** BG CP DB SC

### Sliding Indicator Bolt Set

- Suits sliding doors.
- 55mm diameter round rosettes to complement the 9600 series levers.
- Incorporates latch, internal turnbutton escutcheon and external emergency release escutcheon – shows red for engaged and green for released.
- Concealed fixing.
- Suits a 35mm diameter hole through door face.
- For doors 35mm to 45mm thick.
- 60mm backset.
- Not able to be recessed into sliding door pocket.



Sliding indicator bolt set

**96SIB** CP SC



*Inset shows external emergency release indicator escutcheon on reverse*

Also available:

### Sliding Bolt Set (without indicator)

- Features of this product are the same as detailed for 96SIB (above), however without indicator.



Sliding bolt set

**96SB** CP SC



*Inset shows external emergency release escutcheon on reverse*

When ordering, add relevant finish code to form complete catalogue number, as shown under products illustrated.

\* Denotes cylinder purchased separately.

## 480 and 960/980 Series Dual Sprung Tubular Latches

- Gainsborough tubular latches feature a heavy duty main spring for firm action and positive return during normal operation.
- Secondary latchbolt spring for easy door closure.
- Choose from delrin or steel hubs.
- 'D' or universal 'T' strikes available – refer specific catalogue number.
- Requires a 35mm diameter hole through door face and a 25mm diameter hole through door edge.



Rectangular face and strike  
60mm backset  
480 BC FB PB SC (481 70mm backset)



Rectangular face and universal strike  
60mm backset  
480T BC PB SC



Rectangular face and universal strike  
features sintered steel cam  
60mm backset, Heavy duty  
980 CP PB\* SC



Radius corner face and strike  
60mm backset  
488 BC PB

## ES1000 Electric Strike



Applicable to Electric Strikes only;  
not applicable to 480 and 960/980  
Series Dual Sprung Tubular Latches.

- The ES1000 Electric Strikes are designed for use with deadlatching mortice locks having up to 12mm throw latchbolt.
- The ES1000 Electric Strikes are available in un-monitored and monitored 12 volt or 24 volt DC for use on aluminium or timber frames.
- Power to lock (fail safe) or power to open (fail secure), can be changed on site by simply changing position of a screw.



Electric strike  
ES1000/12 SS  
ES1000/12M SS (Monitored)  
ES1000/24 SS  
ES1000/24M SS (Monitored)

When ordering, add relevant finish code to form complete catalogue number, as shown under products illustrated.

\* For this finish, order 960PB until stock depleted. On depletion, the 980PB will become available.